CATALOG No. 27

OF

LOCKS

AND

BUILDERS HARDWARE

PENN

PENN HARDWARE COMPANY

ESTABLISHED 1877

MAIN OFFICES AND FACTORY
READING, PENNA., U. S. A.

NEW YORK, CHICAGO, PHILADELPHIA, SAN FRANCISCO

Printed in U. S. A.

Copyright 1927, By Penn Hardware Company

DESIGN INDEX

Prefix Symbols Alphabetically Arranged

Designs catalogued in the Design and Miscellaneous Lock Set Sections are illustrated on pages 14 and 15. Cast Designs are arranged alphabetically on page 14 and Wrought Designs alphabetically on page 15. Designs are also listed in the General Index

Design Prefix	Design Name	School	Design Section Pages	Miscellaneous Lock Sets Pages	Entrance Door Handle Sets Pages	Lock Trim Pages	Miscellaneous Hardware Pages
AD	PENN-AYDEN	Adam	.....	144	.....	.....	.....
AV	PENN-AVON	"	64, 65	.....	158, 165	185	.....
CA	PENN-CHATAM	Colonial	115	.....	163, 165	.....	288
CB	PENN-CAMBRIDGE	"	66, 67	.....	167	191	313, 314
CD	PENN-CAMDEN	"	68, 69	.....	156, 167	.....	288
CE	PENN-CLEMENS	"	78, 79	143, 150	160	186, 190, 194	288, 314, 322
CF	PENN-CRAWFORD	"	.....	.....	159	.....	288
CH	PENN-CHADHOLM	Louis XVI	74, 75	.....	157, 168	.....	.....
CK	PENN-CHASKILL	Colonial	114	.....	.....	.....	.....
CL	PENN-CANLEIGH	"	70, 71	150	167	.....	.....
CM	PENN-CLARMONT	"	76, 77	.....	160	186, 191, 194	288
CN	PENN-CORNING	"	117	.....	.....	.....	.....
CO	PENN-CLAXON	"	116	148	163, 165	186, 190, 194	288
CR	PENN-CENROY	"	.....	146, 148	.....	186, 190, 194	.....
CS	PENN-CARSON	"	72, 73	.....	156, 167	.....	288
CT	PENN-CHARLTON	Louis XVI	112, 113	.....	.....	.....	.....
CV	PENN-CARVELL	Colonial	110, 111	.....	.....	.....	.....
CW	PENN-CONWAY	"	.....	.....	161	191, 192, 194	288, 322
CY	PENN-CONYER	"	.....	.....	.....	191, 194	.....
DA	PENN-DANAR	"	118, 119	.....	.....	.....	.....
DB	PENN-DERBY	"	122 to 125	149, 151, 153	163, 165, 172	190, 194	277, 288, 343
DC	PENN-DORCEY	"	.....	.....	161	.....	288
DF	PENN-DEERFIELD	"	80, 81, 82	151	162, 171	191, 194	327, 330, 339
DI	PENN-DIXIE	"	86, 87	143	.....	179, 191, 194	.....
DK	PENN-DUNKIRK	"	128 to 131	151, 152	172, 173	190, 194	277, 330, 339
DL	PENN-DOUGLASS	"	126, 127	.....	.....	.....	277, 343
DM	PENN-DUMONT	"	88, 89	151, 153	161, 171	191, 194	288, 330, 339
DN	PENN-DABNEY	"	.....	146, 147, 153	.....	187, 191, 194	.....
DP	PENN-DELPHIA	"	120, 121	.....	172, 173	.....	.....
DR	PENN-DERRY	"	83, 84, 85	151	170	.....	327, 330, 339
DT	PENN-DALTON	"	.....	146, 147, 153	.....	190, 192, 194	.....
EB	PENN-ELBRIDGE	"	.....	.....	160	190	288
ED	PENN-ELDON	"	132, 133	.....	159, 165, 172	.....	.....
EF	PENN-ENFIELD	"	.....	150	159, 165	190	.....
EG	PENN-ELGAR	"	.....	143	.....	179, 187, 191	.....
EK	PENN-EAKIN	"	.....	.....	161	.....	288
ET	PENN-EATON	"	.....	145	.....	.....	.....
EV	PENN-ELVEY	"	.....	143	.....	179	.....
EW	PENN-EASTWOOD	"	.....	143	.....	179, 186, 191	.....
GB	PENN-GALBA	Gothic	90, 91	.....	168	.....	301
GC	PENN-GRACIA	Greek	135	.....	.....	.....	.....
GD	PENN-GILDAS	"	94, 95	.....	169	.....	.....
GL	PENN-GERLAND	Gothic	.....	.....	.....	.....	326
GM	PENN-GLAMOS	Greek	134	.....	.....	.....	.....
GN	PENN-GURNA	"	98, 99	.....	157, 169	.....	288
GT	PENN-GARTON	Gothic	92, 93	.....	168	.....	326
GV	PENN-GREVIA	Greek	96, 97	.....	169	.....	.....
GW	PENN-GYWA	"	136, 137	.....	.....	.....	.....
LM	PENN-LEMOINE	Louis XV	.....	.....	158	.....	288
LT	PENN-LATOUR	" XVI	.....	141	.....	.....	.....
ML	PENN-MENLO	Mission	100	.....	162, 170	.....	315, 326
MR	PENN-MORONA	"	.....	143	.....	179	.....
MS	PENN-MESA	"	101	.....	162	.....	315, 326
PB	PENN-PEMBROKE	Colonial	.....	142	.....	.....	.....
PH	PENN-PELHAM	"	.....	.....	159	.....	288
PN	PENN-PUTNAM	"	.....	140	.....	.....	.....
PT	PENN-PRESTON	"	.....	.....	159	.....	288
RB	PENN-RAMBEAU	French Renaissance	102, 103	.....	158, 165	.....	.....
RC	PENN-ROCHELLE	Romanesque	106, 107	.....	170	.....	.....
RD	PENN-RENSDORF	German Renaissance	104, 105	.....	158, 170	185	288, 314
RV	PENN-RIVOLI	Italian Renaissance	108	.....	.....	.....	.....

INDEX OF DESIGNS
Cast Bronze

Penn-Avon
Symbol AV
ADAM
Pages 64 and 65

Penn-Cambridge
Symbol CB
COLONIAL
Pages 66 and 67

Penn-Camden
Symbol CD
COLONIAL
Pages 68 and 69

Penn-Canleigh
Symbol CL
COLONIAL
Pages 70 and 71

Penn-Carson
Symbol CS
COLONIAL
Pages 72 and 73

Penn-Chadholm
Symbol CH
LOUIS XVI
Pages 74 and 75

Penn-Clarmont
Symbol CM
COLONIAL
Pages 76 and 77

Penn-Clemens
Symbol CE
COLONIAL
Pages 78 and 79

Penn-Dabney
Symbol DN
COLONIAL
Pages 146 and 147

Penn-Deerfield
Symbol DF
COLONIAL
Pages 80 to 82

Penn-Derry
Symbol DR
COLONIAL
Pages 83 to 85

Penn-Dixie
Symbol DI
COLONIAL
Pages 86 and 87



Penn-Dumont
Symbol DM
COLONIAL
Pages 88 and 89

Penn-Enfield
Symbol EF
COLONIAL
Page 150

Penn-Galba
Symbol GB
GOTHIC
Pages 90 and 91

Penn-Garton
Symbol GT
GOTHIC
Pages 92 and 93

Penn-Gildas
Symbol GD
GREEK
Pages 94 and 95

Penn-Grevia
Symbol GV
GREEK
Pages 96 and 97

Penn-Gurna
Symbol GN
GREEK
Pages 98 and 99

Penn-Menlo
Symbol ML
MISSION
Page 100

Penn-Mesa
Symbol MS
MISSION
Page 101

Penn-Rambeau
Symbol RB
FRENCH RENAISSANCE
Pages 102 and 103

Penn-Rensdorf
Symbol RD
GERMAN RENAISSANCE
Pages 104 and 105

Penn-Rivoli
Symbol RV
ITALIAN RENAISSANCE
Page 108

Penn-Rochelle
Symbol RC
ROMANESQUE
Pages 106 and 107

INDEX OF DESIGNS

Wrought Bronze and Wrought Steel

Penn-Ayden
Symbol AD
ADAM
Page 144

Penn-Carvell
Symbol CV
COLONIAL
Pages 110 and 111

Penn-Cenroy
Symbol CR
COLONIAL
Pages 146 and 148

Penn-Charlton
Symbol CT
LOUIS XVI
Pages 112 and 113

Penn-Chaskill
Symbol CK
COLONIAL
Page 114

Penn-Chatam
Symbol CA
COLONIAL
Page 115

Penn-Claxon
Symbol CO
COLONIAL
Pages 116 and 148

Penn-Corning
Symbol CN
COLONIAL
Page 117

Penn-Dalton
Symbol DT
COLONIAL
Pages 146 and 147

Penn-Dalton
Symbol DT
COLONIAL
Page 147

Penn-Danar
Symbol DA
COLONIAL
Pages 118 and 119

Penn-Delphia
Symbol DP
COLONIAL
Pages 120 and 121

Penn-Derby
Symbol DB
COLONIAL
Pages 122 to 125

Penn-Douglass
Symbol DL
COLONIAL
Pages 126 and 127

Penn-Dunkirk
Symbol DK
COLONIAL
Pages 128 to 131

Penn-Eaton
Symbol ET
COLONIAL
Page 145

Penn-Eldon
Symbol ED
COLONIAL
Pages 132 and 133

Penn-Glamos
Symbol GM
GREEK
Page 134

Penn-Gracia
Symbol GC
GREEK
Page 135

Penn-Gywa
Symbol GW
GREEK
Pages 136 and 137

Penn-Latour
Symbol LT
LOUIS XVI
Page 141

Penn-Pembroke
Symbol PB
COLONIAL
Page 142

Penn-Putnam
Symbol PN
COLONIAL
Page 140

Illustrations One-Third Size

PENN-AVON DESIGN

Adam **Symbol AV**

CAST BRONZE

APPROPRIATE STANDARD FINISHES: SB, BBZ, SN9, IRP

Esc. No. AV512
Knob No. AV52¼

No. AV589

Knob No. AV52
Rose No. AV535

No. AV502

No. AV562
Style of No. AV582



Lever No. AV1948
Rose No. AV536

Knob No. AV58¼
Rose No. AV535

No. AV502D

No. AV540

No. AV570

No. AV575

Number	Size, Inches
AV540	1⅞
AV575	16 x 2½
AV570	8⅞ x 1⅞
AV1948	3⅛
AV512	12 x 2½
AV589	2⅛
AV502	2 x 1⅛
AV502D	2⅛ x 1⅛
AV562	2 x 1⅛
AV582	"
AV535	1⅞
AV536	3 x 1⅝
AV52¼	2¼
AV52	2
AV58¼	2⅝ x 1½
252¼	2¼
252	2
352¼	2¼
352	2

Packed with screws

MISCELLANEOUS HARDWARE AND ESCUTCHEONS

Electric Push Button
Push Plate
Door Pull, with Grip No. 5460
Lever Handle (see page 185)
Escutcheon for cylinder entrance door locks
Cylinder Collar
Key Plate Escutcheon
" " " with drop
Turn Knob and Plate, 3/16 inch spindle, for bath room locks
Turn Knob and Plate, 3/16 inch spindle, for entrance and communicating door locks
Knob Rose, round
" " oval

DOOR KNOBS without Roses

Round, 13/16 inch shank, type AL mounting
" " " " " " "
Oval, " " " " " "
Octagon, Pressed Glass, 13/16 inch cast shank, type AL mounting
" " " " " " " " " "
Round, Fluted Pressed Glass, 13/16 inch cast shank, type AL mounting
" " " " " " " " " " " "

For illustrations and descriptions of knob mountings, type AL, see page 12
Knobs when not packed with lock sets are regularly supplied with 5/16 inch solid spindles
When swivel spindles or spindles for 3/8 inch lock hubs are required, specify when ordering

Specify Finish Wanted

For Descriptive List of Finishes, see pages 37 to 39

PENN-GALBA DESIGN

Gothic **Symbol GB**

CAST BRONZE

APPROPRIATE STANDARD FINISHES: DBZR, IRP, V, RP

No. GB597

ESCUTCHEONS, ETC.

Number	Size, Inches	
GB515	15 x 3⅛	for Cylinder Front Door Locks, outside
GB512	12 x 3⅛	for Cylinder Front Door and Vestibule Door Locks, outside; Cylinder Office Door Locks, both sides
GB509	9 x 2¾	for Cylinder Front Door and Vestibule Door Locks, inside; Communicating and Inside Door Locks, both sides
GB502⅛	2⅛ x 1⅛	Key Plate Escutcheon
GB562	"	Turn Knob and Plate, 3/16 inch spindle, for bath room locks
GB582	"	Turn Knob and Plate, 3/16 inch spindle, for entrance and communicating door locks
GB539	2⅛	Knob Rose (high collar)

When ordering escutcheons specify lock with which they are to be used and whether for outside or inside. For escutcheons with turn knobs suffix T to the number

DOOR KNOBS without Roses

GB52¼	2¼	13/16 inch shank, type AH mounting
GB52¼SW	"	Screwless mounting, type SW

For illustrations and descriptions of knob mountings, types AH and SW, see page 12
Knobs when not packed with lock sets are regularly supplied with 5/16 inch solid spindles
When swivel spindles or spindles for ⅜ inch lock hubs are required, specify when ordering

Cylinder Front and Vestibule Door Sets

	Set No.	Lock	Page	Knobs	Escutcheons Outside	Escutcheons Inside
Front Door	**GB597**	9500	208	GB52¼	15 x 3⅛	9 x 2¾
" "	**GB595**	"	"	"	12 x 3⅛	"
Vestibule	**GB585**	8505	209	"	"	"

Cylinder Office Door Sets

GB573	7240	214	GB52¼	12 x 3⅛	12 x 3⅛

Communicating Door Sets

GB537	3359	229	GB52¼	9 x 2¾	9 x 2¾

Inside Door Sets

GB525	2355	219	GB52¼	9 x 2¾	9 x 2¾
GB525-2373	2373	220	"	"	"

No. GB525

Entrance Door Handle Sets

See page 168

Lock sets are packed one set in a box

Packed with screws

Specify Finish Wanted

For Descriptive List of Finishes, see pages 37 to 39

Illustrations One-Third and Quarter Sizes

PENN-MESA DESIGN

Mission **Symbol MS**

CAST BRONZE

APPROPRIATE STANDARD FINISHES: **DB, SB, IRP**

Esc. No. MS513⅝
Knob No. 55¼

No. MS589

Esc. No. MS506¼
Knob No. 55¼

Rose Plate No. MS539
Knob No. 55¼

No. MS544

No. MS576A

MISCELLANEOUS HARDWARE AND ESCUTCHEONS

Number	Size, Inches	
MS544	3¼ x 3¼	Electric Push Button
MS575	13⅝ x 3¼	Push Plate
MS576A	"	Door Pull with Grip No. 5428A
MS578	6 x 4½	Door Knocker—See Catalog page 315
MS567	19½ x 4½	Hinge Plate — " " " 326
MS513⅝	13⅝ x 3¼	Escutcheon for Cylinder Front Door Locks, outside
MS506¼	6¼ x 2½	Escutcheon for Cylinder Front Door Locks, inside; and Inside Door Locks, both sides
MS589	3¼ x 3¼	Cylinder Collar
MS539	"	Knob Rose Plate

When ordering escutcheons specify lock with which they are to be used and whether for outside or inside
For escutcheons with turn knobs suffix T to the number

DOOR KNOBS without Roses

55¼AH	2¼	13/16 inch shank, type AH mounting

For illustration and description of knob mounting, type AH, see page 12
Knobs when not packed with lock sets are regularly supplied with ⅜ inch solid spindles
When swivel spindles or spindles for ⅜ inch lock hubs are required specify when ordering



No. MS525

Cylinder Front Door Sets

Set No.	Lock	Page	Knobs	Escutcheons (Size, inch) Outside	Inside
MS595	9500	208	55¼AH	13⅝ x 3¼	6¼ x 2½

Inside Door Sets

MS525	2355	219	55¼AH	6¼ x 2½	6¼ x 2½
MS525-2373	2373	220	"	"	"

Entrance Door Handle Sets

FOR RESIDENCE FRONT DOORS AND STORE DOORS

See page 162

Lock sets are packed one set in a box — Packed with screws

Specify Finish Wanted

For Descriptive List of Finishes, see pages 37 to 39

Illustrations One-Third Size

PENN-RAMBEAU DESIGN

French Renaissance **Symbol RB**

CAST BRONZE

APPROPRIATE STANDARD FINISHES: SB9, BBZ, SN9

No. RB589

Knob No. RB52
Rose No. RB535

No. RB502⅜

Knob No. 352¼
Rose No. RB535

No. RB540

Knob No. RB52¼
Rose No. RB534

No. RB502½

No. RB583

No. RB562
Style of No. RB582

No. RB570

No. RB575

Number	Size, Inches
RB540	2⅞ x 1⅝
RB575	15 x 2½
RB570	10⅜ x 1⅝
RB589	3¾ x 2¼
RB502½	2½ x 1½
RB502⅜	2⅜ x 1½
RB562	2½ x 1½
RB582	"
RB583	2⅜ x 1½
RB535	3⅞ x 2⅛
RB534	2⅞ x 1⅝
RB532	"

MISCELLANEOUS HARDWARE AND ESCUTCHEONS

Electric Push Button
Push Plate
Door Pull, with Grip No. 5460
Cylinder Collar
Plate Escutcheon for use below knob
" " " " above "
Turn Knob and Plate, 3/16 inch spindle, for bath room locks
" " " " " " " " communicating door locks
" " " " " " " " entrance door locks
Knob Rose for use above key way
" " " " below " "
" " " " above " " (for French Door Sets)

RB52¼	2¼
RB52	2
252¼	2¼
252	2
352¼	2¼
352	2

DOOR KNOBS without Roses

13/16 inch shank, type AL mounting
" " " " " " "
Octagon, Pressed Glass, 13/16 inch cast shank, type AL mounting
" " " " " " " " " " "
Round Fluted, Pressed Glass, 13/16 inch cast shank, type AL mounting
" " " " " " " " " " " " "

For illustration and description of Knob Mounting, type AL, see page 12
Knobs when not packed with lock sets are regularly supplied with 3/16 inch solid spindles
When swivel spindles or spindles for ⅜ inch lock hubs are required specify when ordering

Packed with screws

Specify Finish Wanted

For Descriptive List of Finishes, see pages 37 to 39

Illustrations One-Third and Quarter Sizes

PENN-GRACIA DESIGN

Greek **Symbol GC**

WROUGHT BRONZE and WROUGHT STEEL

APPROPRIATE STANDARD FINISHES: AC, DBR, SB9

Esc. No. GC610½
Knob No. GC63¼

No. GC676

No. GC640

Nos. GC642 and GC942

No. GC925

Number Wrought Bronze	Number Wrought Steel	Size, Inches	MISCELLANEOUS HARDWARE
GC640		4¾ x 1½	Electric Push Button
GC642	**GC942**	1½ x 4¾	Flush Sash Lift
GC675	**GC975**	10½ x 2¾	Push Plate
GC676		"	Door Pull, with Grip No. 5427

ESCUTCHEONS

GC610½		10½ x 2¾	for Cylinder Front Door and Vestibule Locks, outside
GC610½	**GC910½**	"	for Bit-Key Front Door Locks, outside
GC608		8 x 2⅜	for Cylinder Front Door and Vestibule Locks, inside
GC608	**GC908**	"	for Bit-Key Front Door Locks, inside; Bit-Key Vestibule Locks, Inside Door Locks and Latches and Sliding Door Locks (flush cup) both sides

When ordering escutcheons specify lock with which they are to be used and whether for outside or inside.

For escutcheons with turn knobs suffix T to the number

DOOR KNOBS without Roses

GC92¼	2¼	Two-piece, 11/16 inch wrought shank, type P mounting
GC63¼	"	Seamless, 13/16 inch wrought shank, type AL mounting
GC93¼	"	Seamless, 11/16 inch wrought shank, type P mounting

For illustrations and descriptions of knob mountings, types P and AL, see page 12
Knobs when not packed with lock sets are regularly supplied with 5/16 inch solid spindles
When swivel spindles or spindles for 3/8 inch lock hubs are required, specify when ordering

WROUGHT BRONZE

Cylinder Front and Vestibule Door Sets

	Set No.	Lock	Page	Knobs	Escutcheons (Size, inch) Outside	Inside
Front Door	**GC696**	9300	208	GC63¼	10½ x 2¾	8 x 2⅜
Vestibule	**GC686**	8305	209	"	"	"

Bit-Key Front and Vestibule Door Sets

Front Door	**GC656**	5561	211	GC63¼	10½ x 2¾	8 x 2⅜
Vestibule	**GC646**	4561	"	"	8 x 2⅜	"

Inside Door Sets

GC626	2355	219	GC63¼	8 x 2⅜	8 x 2⅜
GC626-2373	2373	220	"	"	"

WROUGHT STEEL

Bit-Key Front and Vestibule Door Sets

	Set No.	Lock	Page	Knobs	Escutcheons (Size, inch) Outside	Inside
Front Door	**GC955**	5521	211	GC92¼	10½ x 2¾	8 x 2⅜
" "	**GC956**	"	"	GC93¼	"	"
Vestibule	**GC945**	4521	"	GC92¼	8 x 2⅜	"
"	**GC946**	"	"	GC93¼	"	"

Inside Door Sets

GC925	2307	219	GC92¼	8 x 2⅜	8 x 2⅜
GC926	"	"	GC93¼	"	"

Lock sets are packed one set in a box — Complete with screws

Specify Finish Wanted

For Descriptive List of Finishes, see pages 37 to 39

Illustrations Quarter Size

ENTRANCE DOOR HANDLE SETS

with Cylinder Locks

FOR STORE DOORS

Nos. ML5615 and ML5715

Nos. RD5611 and RD5711

Nos. RC5613 and RC5713

Nos. DR5612 and DR5712

CAST BRONZE

Set Number	Design	Number	Lock Backset	Page	Two Grips Number	Two Grips Center to Center	Two Plates Size, Inches
ML5615	Penn-Menlo	6602	2¾ in.	199	5647	6⅜ in.	20 x 4⅛
ML5715	" "	6652	"	200	"	"	"
RD5611	Penn-Rensdorf	6602	"	199	Special	"	22 x 3¾
RD5711	" "	6652	"	200	"	"	"
RC5613	Penn-Rochelle	6602	"	199	5655	6¾ in.	21 x 3¾
RC5713	" "	6652	"	200	"	"	"
DR5612	Penn-Derry	6602	"	199	5635	5⅜ in.	15 x 3
DR5712	" "	6652	"	200	"	"	"

Lock 6602—no stops in face

Lock 6652—has stops in face

Packed one set in a box, with screws

See page 166 for illustrations of applied sets

Specify Finish Wanted

For Descriptive List of Finishes, see pages 37 to 39